

Unique identification code of the product type: **THERMACLASS CAVITY WALL 21**

Intended use(s): **Thermal insulation for buildings**

Manufacturer: **SOPREMA UK Ltd  
SOPREMA House, Freebournes Road, Witham  
ESSEX  
CM8 3UN  
United Kingdom**

System(s) of AVCP: **System 4 (Reaction to fire)  
System 3 (Other characteristics)**

Designated standard: **EN 13165:2012+A2:2016**

Approved body/ies: **0836**

Declared performances

Essential characteristics	Performances	Test standard	Designated standard
Thermal conductivity - $\lambda_D$ (W/(mK))	$65 \leq d \leq 140$ mm	0,021	EN 12667
Thermal resistance - $R_D$ (m <sup>2</sup> .K/W)	65-140 mm	3,05-6,65	EN 12667
Thickness tolerance- $d_N$ (mm)		T2	EN 823
Reaction to fire		F	EN 13501-1
Durability of reaction to fire against heat, weathering, ageing/degradation		F <sup>1</sup>	EN 13501-1
Durability of thermal resistance against heat, weathering, ageing/degradation			
- Thermal conductivity - $\lambda_D$ (W/mK)	$65 \leq d \leq 140$ mm	0,021	EN 12667
- Thermal resistance - $R_D$ (m <sup>2</sup> .K/W)	65-140 mm	3,05-6,65	EN 12667
- Dimensional stability (%)		DS(70,90)3 DS(-20,-)1	EN 1604
- Deformation under specified compressive load and temperature conditions (%)		NPD	EN 1605
Compressive strength at 10 % deformation (kPa)		CS(10Y)120	EN 826
Tensile strength perpendicular to faces (kPa)		NPD	EN 1607
Durability of compressive creep against ageing/degradation (kPa)		NPD	EN 1606
Short term water absorption		WS(P)0,1	EN 1609
Long term water absorption by immersion		NPD	EN 12087
Flatness after partial immersion		NPD	EN 825
Water vapour diffusion resistance - $\mu$		NPD	EN 12086
Acoustic absorption index		NPD	EN 354
Continuous glowing combustion		NPD <sup>2</sup>	-
Dangerous substances		NPD <sup>2</sup>	-

EN 13165:2012 + A2:2016


NPD = no performance determined

1) The fire performance does not deteriorate with time

2) In the absence of European harmonized test methods, verification and declaration on release and content has to be done taking into account national provisions in the place of use

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of conformity is issued, in accordance with UK Regulation, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Marnix Derks, Technical Director**  
**Witham, 23/09/2024**



SOPREMA UK Ltd reserves the right to amend the composition of its material and consequently their prices, without prior notice. For this reason, all orders will be accepted only in accordance with the conditions and technical specifications in force at the date of order.